ELSEVIER

Journal of Organometallic Chemistry 530 (1997) 265

Journal of Organometallic Chemistry

Author Index of Volume 530

Aaliti, A., 199
Abboud, K.A., 59
Agarkov, A.Yu., 75
Ahlgrén, M., 191
Ahmed, S.Z., 177
Al-Mandhary Muna, R.A., 247
Alvarez Boo, P., 141
Artus, G.R.J., 259
Avtomonov, E.V., 71

Baukov, Yu.I., 1
Baukova, T.V., 27
Behrens, U., 95
Beletskaya, I.P., 75
Berndt, A., 255
Biedermann, M., 13
Blumenfel'd, A.L., 27
Boncella, J.M., 59

Cardin, C.J., 199
Casas, J.S., 141
Casellato, U., 141
Chaudhury, S., 101
Chernyshev, E.A., 75
Churakov, A.V., 75
Cirera, M.R., 89
Claver, C., 199
Corriu, R.J.P., 39
Couce, M.D., 141
County, G.R., 49
Coville, N.J., 131

Dickson, R.S., 49
Dörfler, U., 117
Duncalf, D.J., 19

Fischer, J., 259
Forniés-Cámer, J., 199
Freijanes, E., 141

Glidewell, C., 177
Gottfried, M., 177
Graziani, R., 141
Grove, D.M., 159
Guérin, C., 39

Halterman, R.L., 225
Härkönen, A.U., 191
Harris, P.W.R., 211
Hartung, H., 13
Henner, B.J.L., 39
Herberhold, M., 117
Herrmann, W.A., 159, 259
Hill, S.T., 83
Hori, H., 169
Huber, F., 121
Huff, R.L., 59

Ibusuki, T., 169
Ishitani, O., 169
Ishizuka, M., 169

Jäger, L., 13
Jain, V.K., 101
Jenkins, S.M., 49
Johnson, J., 49
Johnson, J.D., 83
Jolivet, A., 39

Kai, Y., 187
Kanehisa, N., 187
Kilian, H., 255
Kirchner, K., 105
Kivekäs, R., 89
Koike, K., 169
Kovač, V., 149
Kramarova, E.P., 1
Kramer, C.-P., 95
Krebs, A., 95
Kurosawa, H., 187
Kuz'mina, L.G., 27, 75

Lemenovskii, D.A., 27
Lewis, J., 247
Li, X.-W., 71
Lightfoot, P., 177
Lorberth, J., 71

Marsmann, H., 255
Masdeu-Bultó, A.M., 199
Mereiter, K., 105
Milos, S., 83
Morton, C., 19
Murahashi, T., 187

Nagelholt, L., 159
Narayan, S., 101
Negrebetsky, V.V., 1, 1

Öfele, K., 259
Oleinikova, N.A., 27
Orrell, K.G., 235
Osborne, A.G., 235

Pakkanen, T.A., 191
Paravagna, O., 49
Pohl, S., 255
Pursiainen, J., 191
Raithby, P.R., 247
Ramsey, T.M., 225
Rapić, V., 149
Rauch, M.U., 159
Rietveld, M.H.P., 159
Rourke, J.P., 19
Royles, B.J.L., 177
Ruiz, N., 199
Russo, U., 141

Saak, W., 255
Salgado, B., 141
Samson, S., 251
Sandoe, E.J., 251
Sapunov, V.N., 105
Schmid, R., 105
Schmidt, G., 95
Schulte, P., 95
Schürmann, M., 121
Scott, J.P., 177
Shipov, A.G., 1
Šik, V., 235
Sillanpää, R., 89
Smith, J.M., 131
Sordo, J., 141
Spek, A.L., 159
Steiner, D., 255
Stephenson, G.R., 251
Stürmann, M., 255
Šuprina, M., 149
Sušnik, I., 149

Takeuchi, K., 169
Taverner, B.C., 131
Teixidor, F., 89
Tretner, C., 13

Van den Beuken, E., 251
VanderLende, D.D., 59
Van Koten, G., 159
Vaughn, W.M., 59
Veldman, N., 159
Viñas, C., 89
Voskoboynikov, A.Z., 75

Wang, S.-Y.S., 59
Webba da Silva, M., 235
Weidenbruch, M., 255
Wheeler, D.E., 83
Williams, J.D., 83
Wonnemann, J., 177
Woodgate, P.D., 211
Wrackmeyer, B., 117

Elsevier Science S.A.

ELSEVIER

Journal of Organometallic Chemistry 530 (1997) 267–271

Journal of Organometallic Chemistry

Subject Index of Volume 530

Acetate
On the synthesis and structure of monoaryllead and diaryllead acetates $RPb(OCOCH_3)_3$ and $R_2Pb(OCOCH_3)_2$ (M. Schürmann and F. Huber), 121

Agostic
New organogold(I) complexes: synthesis, structure, and dynamic behavior of the polynuclear organogold diphenylmethane and diphenylethane derivatives (T.V. Baukova, L.G. Kuz'mina, N.A. Oleinikova, D.A. Lemenovskii and A.L. Blumenfel'd), 27

Alkoxyacetophenone
Ruthenium-catalysed ortho alkylation of hydroxyacetophenones; the functionalisation of ring C aromatic diterpenoids (P.W.R. Harris and P.D. Woodgate), 211

Alkynylcyclohexadienyl
Alkynylcyclohexadienyl tricarbonyliron complexes: a new directing effect for organoiron-mediated synthesis (E. Van den Beuken, S. Samson, E.J. Sandoe and G.R. Stephenson), 251

Anilines
Reactions of $Cp^*Ru(\eta^6\text{-}C_6H_5CHO)^+OSO_2CF_3^-$ ($Cp^* = C_5Me_5$) with substituted anilines forming ruthenium Schiff base complexes (D.E. Wheeler, S.T. Hill, S. Milos, J.D. Williams and J.D. Johnson), 83

Arene
A novel arene bonding mode in the mixed-metal cluster $Os_4Ru(\mu\text{-}H)_3(CO)_{12}(\mu_3\text{-}\eta^6\text{-}C_6H_5)P(OMe)_3$ (R.A. Al-Mandhary Muna, J. Lewis and P.R. Raithby), 247

Arene complexes
Reactions of $Cp^*Ru(\eta^6\text{-}C_6H_5CHO)^+OSO_2CF_3^-$ ($Cp^* = C_5Me_5$) with substituted anilines forming ruthenium Schiff base complexes (D.E. Wheeler, S.T. Hill, S. Milos, J.D. Williams and J.D. Johnson), 83

Arylamine
Synthesis of methyltrioxorhenium(VII) arylamine complexes and mono- and bis(ortho)-chelated arylaminorhenium(VII) trioxides (M.H.P. Rietveld, L. Nagelholt, D.M. Grove, N. Veldman, A.L. Spek, M.U. Rauch, W.A. Herrmann and G. Van Koten), 159

Arylbismuth compounds
Synthesis and crystal structure of dimeric 2,4,6-triphenylphenylbismuthdichloride (E.V. Avtomonov, X.-W. Li and J. Lorberth), 71

Aryllead
On the synthesis and structure of monoaryllead and diaryllead acetates $RPb(OCOCH_3)_3$ and $R_2Pb(OCOCH_3)_2$ (M. Schürmann and F. Huber), 121

Benzaldehyde
Reactions of $Cp^*Ru(\eta^6\text{-}C_6H_5CHO)^+OSO_2CF_3^-$ ($Cp^* = C_5Me_5$) with substituted anilines forming ruthenium Schiff base complexes (D.E. Wheeler, S.T. Hill, S. Milos, J.D. Williams and J.D. Johnson), 83

Bipyridine
Preparation and characterization of $[Re(bpy)(CO)_3L][SbF_6]$ (**L** = phosphine, phosphite) (H. Hori, K. Koike, M. Ishizuka, K. Takeuchi, T. Ibusuki and O. Ishitani), 169

Bismuth
Synthesis and crystal structure of dimeric 2,4,6-triphenylphenylbismuthdichloride (E.V. Avtomonov, X.-W. Li and J. Lorberth), 71

Bisphosphine
Complexes containing the unit $Rh_2P^\frown PM$ (M = Cr or Mn, $P^\frown P$ = bis(diphenylphosphino)alkane); the independence of the metal centres (G.R. County, R.S. Dickson, S.M. Jenkins, J. Johnson and O. Paravagna), 49

Boron
The first 1,2-dibora-[2]ferrocenophane and its dynamic behaviour in solution (M. Herberhold, U. Dörfler and B. Wrackmeyer), 117

Bridging ligand
Synthesis of a tripalladium cluster containing an $\eta^1{:}\eta^2{:}\eta^2$-bridging butadienyl ligand stabilized by a zwitterionic structure (T. Murahashi, H. Kurosawa, N. Kanehisa and Y. Kai), 187
Synthesis of methyltrioxorhenium(VII) arylamine complexes and mono- and bis(ortho)-chelated arylaminorhenium(VII) trioxides (M.H.P. Rietveld, L. Nagelholt, D.M. Grove, N. Veldman, A.L. Spek, M.U. Rauch, W.A. Herrmann and G. Van Koten), 159

Butadienyl
Synthesis of a tripalladium cluster containing an $\eta^1{:}\eta^2{:}\eta^2$-bridging butadienyl ligand stabilized by a zwitterionic structure (T. Murahashi, H. Kurosawa, N. Kanehisa and Y. Kai), 187

Carbene
A stannaethene with a planar environment of the tricoordinated tin and carbon atoms (M. Weidenbruch, H. Kilian, M. Stürmann, S. Pohl, W. Saak, H. Marsmann, D. Steiner and A. Berndt), 255

Carbonyl
Alkynylcyclohexadienyl tricarbonyliron complexes: a new directing effect for organoiron-mediated synthesis (E. Van den Beuken, S. Samson, E.J. Sandoe and G.R. Stephenson), 251
Preparation and characterization of $[Re(bpy)(CO)_3L][SbF_6]$ (**L** = phosphine, phosphite) (H. Hori, K. Koike, M. Ishizuka, K. Takeuchi, T. Ibusuki and O. Ishitani), 169
Substituent effects on the cyclo-manganation reaction. X-ray crystal structure of $Mn\{2\text{-}(^nBu\text{–}N{=}CH)5\text{-}(NO_2)C_6H_3\}(CO)_4$ (C. Morton, D.J. Duncalf and J.P. Rourke), 19
Synthesis and X-ray crystal structures of $[Ru_4H_4(CO)_{11}(PPh_3)]$ and $[Ru_{4-x}Ir_xH_{2-x}(CO)_{12}(PPh_3)]$ ($x = 0$ or 1) (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 191

Carborane
Carborane to enhance chelating capacity. *S,S'*-Thioether – thioester coordination and its transition metal stability (C. Viñas, M.R. Cirera, F. Teixidor, R. Sillanpää and R. Kivekäs), 89

Chalcogen
Pseudoelementverbindungen IX. Organostannylierung von Cyanamidonitrat – Molekül- und Kristallstruktur von N-Trimethylstannyl-N'-nitro-carbodiimid (L. Jäger, C. Tretner, M. Biedermann und H. Hartung), 13

Chelate
Synthesis of methyltrioxorhenium(VII) arylamine complexes and mono- and bis(ortho)-chelated arylaminorhenium(VII) trioxides

Elsevier Science S.A.

(M.H.P. Rietveld, L. Nagelholt, D.M. Grove, N. Veldman, A.L. Spek, M.U. Rauch, W.A. Herrmann and G. Van Koten), 159

Chiral cyclopentadiene
Preparation of 1,1′-binaphthyl-2,2′-diyl bridged *ansa*-bis(annulated cyclopentadienyl)titanium and -zirconium dichloride complexes (R.L. Halterman and T.M. Ramsey), 225

Chloro complexes
Metallorganische Verbindungen des Kupfers XIII. Kupfer(I)-chlorid-Komplexe winkelgespannter Cycloheptine Synthesen und Röntgenstrukturanalysen (P. Schulte, G. Schmidt, C.-P. Kramer, A. Krebs und U. Behrens), 95

Chromium
Complexes containing the unit $Rh_2P^\frown PM$ (M = Cr or Mn, P^P = bis(diphenylphosphino)alkane); the independence of the metal centres (G.R. County, R.S. Dickson, S.M. Jenkins, J. Johnson and O. Paravagna), 49
(*Z*)-1-Methoxy-4-(diphenylphosphino)but-1-ene-3-yne: a versatile synthon for unsymmetrically substituted (diphenylphosphino)diacetylene derivatives (R.J.P. Corriu, C. Guérin, B.J.L. Henner and A. Jolivet), 39

Cluster
Carborane to enhance chelating capacity. *S,S′*-Thioether ~ thioester coordination and its transition metal stability (C. Viñas, M.R. Cirera, F. Teixidor, R. Sillanpää and R. Kivekäs), 89
Synthesis and X-ray crystal structures of $[Ru_4H_4(CO)_{11}(PPh_3)]$ and $[Ru_{4-x}Ir_xH_{2-x}(CO)_{12}(PPh_3)]$ ($x = 0$ or 1) (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 191
Synthesis of a tripalladium cluster containing an $\eta^1:\eta^2:\eta^2$-bridging butadienyl ligand stabilized by a zwitterionic structure (T. Murahashi, H. Kurosawa, N. Kanehisa and Y. Kai), 187

Complexes
Indazole complexes of diorganotin(IV) dihalides. The crystal structures of dichloro and dibromodimethylbis(indazole)tin(IV) (P. Alvarez Boo, J.S. Casas, U. Casellato, M.D. Couce, E. Freijanes, R. Graziani, B. Salgado, U. Russo and J. Sordo), 141

Cone angles
Cone angle radial profiles (J.M. Smith, B.C. Taverner and N.J. Coville), 131

Copper
Metallorganische Verbindungen des Kupfers XIII. Kupfer(I)-chlorid-Komplexe winkelgespannter Cycloheptine Synthesen und Röntgenstrukturanalysen (P. Schulte, G. Schmidt, C.-P. Kramer, A. Krebs und U. Behrens), 95

Crystal structure
A novel arene bonding mode in the mixed-metal cluster $Os_4Ru(\mu\text{-}H)_3(CO)_{12}(\mu_3\text{-}\eta^6\text{-}C_6H_5)P(OMe)_3$ (R.A. Al-Mandhary Muna, J. Lewis and P.R. Raithby), 247
Indazole complexes of diorganotin(IV) dihalides. The crystal structures of dichloro and dibromodimethylbis(indazole)tin(IV) (P. Alvarez Boo, J.S. Casas, U. Casellato, M.D. Couce, E. Freijanes, R. Graziani, B. Salgado, U. Russo and J. Sordo), 141
New organogold(I) complexes: synthesis, structure, and dynamic behavior of the polynuclear organogold diphenylmethane and diphenylethane derivatives (T.V. Baukova, L.G. Kuz'mina, N.A. Oleinikova, D.A. Lemenovskii and A.L. Blumenfel'd), 27
On the synthesis and structure of monoaryllead and diaryllead acetates $RPb(OCOCH_3)_3$ and $R_2Pb(OCOCH_3)_2$ (M. Schürmann and F. Huber), 121
Synthesis and X-ray crystal structures of *rac*- and *meso*-2,2′-propylidene-bis(1-indenyl)zirconium dichlorides (A.Z. Voskoboynikov, A.Yu. Agarkov, E.A. Chernyshev, I.P. Beletskaya, A.V. Churakov and L.G. Kuz'mina), 75
Synthesis and X-ray crystal structures of $[Ru_4H_4(CO)_{11}(PPh_3)]$ and $[Ru_{4-x}Ir_xH_{2-x}(CO)_{12}(PPh_3)]$ ($x = 0$ or 1) (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 191
Synthesis of methyltrioxorhenium(VII) arylamine complexes and mono- and bis(ortho)-chelated arylaminorhenium(VII) trioxides (M.H.P. Rietveld, L. Nagelholt, D.M. Grove, N. Veldman, A.L. Spek, M.U. Rauch, W.A. Herrmann and G. Van Koten), 159

C_2-symmetry
Preparation of 1,1′-binaphthyl-2,2′-diyl bridged *ansa*-bis(annulated cyclopentadienyl)titanium and -zirconium dichloride complexes (R.L. Halterman and T.M. Ramsey), 225

Cyanide
Structure and bonding in a series of cyano complexes: $RuCp(PPh_3)_2CN$, $[RuCp(PPh_3)_2(CNH)]CF_3SO_3$, and H-bridged $[Ru_2(Cp)_2(PPh_3)_4CNHNC]CF_3SO_3$ (V.N. Sapunov, K. Mereiter, R. Schmid and K. Kirchner), 105

Cycloalkynes
Metallorganische Verbindungen des Kupfers XIII. Kupfer(I)-chlorid-Komplexe winkelgespannter Cycloheptine Synthesen und Röntgenstrukturanalysen (P. Schulte, G. Schmidt, C.-P. Kramer, A. Krebs und U. Behrens), 95

Cyclometallation
Substituent effects on the cyclo-manganation reaction. X-ray crystal structure of $Mn\{2\text{-}(^nBu\text{-}N{=}CH)5\text{-}(NO_2)C_6H_3\}(CO)_4$ (C. Morton, D.J. Duncalf and J.P. Rourke), 19

Cyclopentadienyl
Structure and bonding in a series of cyano complexes: $RuCp(PPh_3)_2CN$, $[RuCp(PPh_3)_2(CNH)]CF_3SO_3$, and H-bridged $[Ru_2(Cp)_2(PPh_3)_4CNHNC]CF_3SO_3$ (V.N. Sapunov, K. Mereiter, R. Schmid and K. Kirchner), 105

Directing effects
Alkynylcyclohexadienyl tricarbonyliron complexes: a new directing effect for organoiron-mediated synthesis (E. Van den Beuken, S. Samson, E.J. Sandoe and G.R. Stephenson), 251

Dirhodium
Complexes containing the unit $Rh_2P^\frown PM$ (M = Cr or Mn, P^P = bis(diphenylphosphino)alkane); the independence of the metal centres (G.R. County, R.S. Dickson, S.M. Jenkins, J. Johnson and O. Paravagna), 49

Dithiocarbamate
Synthesis and characterization of methylpalladium(II) dithiolate complexes of the type $[PdMe(S^\frown S)(ER_3)]$ ($S^\frown S = S_2CNR_2$, S_2COEt, $S_2P(OR)_2$, S_2PPh_2; $ER_3 = PMePh_2$, PPh_3, $AsPh_3$) (S. Narayan, V.K. Jain and S. Chaudhury), 101

Dithiophosphate
Synthesis and characterization of methylpalladium(II) dithiolate complexes of the type $[PdMe(S^\frown S)(ER_3)]$ ($S^\frown S = S_2CNR_2$, S_2COEt, $S_2P(OR)_2$, S_2PPh_2; $ER_3 = PMePh_2$, PPh_3, $AsPh_3$) (S. Narayan, V.K. Jain and S. Chaudhury), 101

Diyne
(*Z*)-1-Methoxy-4-(diphenylphosphino)but-1-ene-3-yne: a versatile synthon for unsymmetrically substituted (diphenylphosphino)diacetylene derivatives (R.J.P. Corriu, C. Guérin, B.J.L. Henner and A. Jolivet), 39

Dynamic NMR
Stereochemical non-rigidity of *N*-(dimethylhalogenosilylmethyl)-*N*-(1-phenylethyl) acetamides in solutions (V.V. Negrebetsky, A.G. Shipov, E.P. Kramarova, V.V. Negrebetsky and Yu.I. Baukov), 1
Stereochemically non-rigid transition metal complexes of 2,6-bis[(1-phenylimino)ethyl]pyridine (BIP). Part 1. Dynamic NMR studies of $[M(C_6F_5)_2(BIP)]$ ($M = Pd^{II}$ or Pt^{II}) (K.G. Orrell, A.G. Osborne, V. Šik and M. Webba da Silva), 235

Dynamic NMR measurements
The first 1,2-dibora-[2]ferrocenophane and its dynamic behaviour in solution (M. Herberhold, U. Dörfler and B. Wrackmeyer), 117

Extended Hückel calculations
Structure and bonding in a series of cyano complexes: $RuCp(PPh_3)_2CN$, $[RuCp(PPh_3)_2(CNH)]CF_3SO_3$, and H-bridged $[Ru_2(Cp)_2(PPh_3)_4CNHNC]CF_3SO_3$ (V.N. Sapunov, K. Mereiter, R. Schmid and K. Kirchner), 105

Ferrocene
Ferrocene compounds. XXIII. Synthesis and reactions of the new type of methyl ferrocyloxyalkanoates (V. Kovač, V. Rapić, I. Sušnik and M. Šuprina), 149
Ferrocenophanes
The first 1,2-dibora-[2]ferrocenophane and its dynamic behaviour in solution (M. Herberhold, U. Dörfler and B. Wrackmeyer), 117
Fluxionality
New organogold(I) complexes: synthesis, structure, and dynamic behavior of the polynuclear organogold diphenylmethane and diphenylethane derivatives (T.V. Baukova, L.G. Kuz'mina, N.A. Oleinikova, D.A. Lemenovskii and A.L. Blumenfel'd), 27
Stereochemically non-rigid transition metal complexes of 2,6-bis[(1-phenylimino)ethyl]pyridine (BIP). Part 1. Dynamic NMR studies of $[M(C_6F_5)_2(BIP)]$ ($M = Pd^{II}$ or Pt^{II}) (K.G. Orrell, A.G. Osborne, V. Šik and M. Webba da Silva), 235

Gold
New organogold(I) complexes: synthesis, structure, and dynamic behavior of the polynuclear organogold diphenylmethane and diphenylethane derivatives (T.V. Baukova, L.G. Kuz'mina, N.A. Oleinikova, D.A. Lemenovskii and A.L. Blumenfel'd), 27
Group 15
Cone angle radial profiles (J.M. Smith, B.C. Taverner and N.J. Coville), 131
N-Heterocyclic carbenes
N-heterocyclic carbene complexes of palladium and rhodium: *cis/trans*-isomers (W.A. Herrmann, J. Fischer, K. Öfele and G.R.J. Artus), 259

Hetero-trinuclear
Complexes containing the unit $Rh_2P^{\frown}PM$ ($M = Cr$ or Mn, $P^{\frown}P$ = bis(diphenylphosphino)alkane); the independence of the metal centres (G.R. County, R.S. Dickson, S.M. Jenkins, J. Johnson and O. Paravagna), 49
Hydroformylation
Mononuclear Pt(II) and Pd(II) 1,4-dithiolato complexes. Crystal structures of $[Pt((-)DIOS)(PPh_3)_2]$ and $[Pd(S(CH_2)_4S)(Ph_2P(CH_2)_3PPh_2)]$. Application in styrene hydroformylation (J. Forniés-Cámer, A. Aaliti, N. Ruiz, A.M. Masdeu-Bultó, C. Claver and C.J. Cardin), 199
Hydrogen bonding
Structure and bonding in a series of cyano complexes: $RuCp(PPh_3)_2CN$, $[RuCp(PPh_3)_2(CNH)]CF_3SO_3$, and H-bridged $[Ru_2(Cp)_2(PPh_3)_4CNHNC]CF_3SO_3$ (V.N. Sapunov, K. Mereiter, R. Schmid and K. Kirchner), 105
Hydrogen isocyanide
Structure and bonding in a series of cyano complexes: $RuCp(PPh_3)_2CN$, $[RuCp(PPh_3)_2(CNH)]CF_3SO_3$, and H-bridged $[Ru_2(Cp)_2(PPh_3)_4CNHNC]CF_3SO_3$ (V.N. Sapunov, K. Mereiter, R. Schmid and K. Kirchner), 105

Indazole
Indazole complexes of diorganotin(IV) dihalides. The crystal structures of dichloro and dibromodimethylbis(indazole)tin(IV) (P. Alvarez Boo, J.S. Casas, U. Casellato, M.D. Couce, E. Freijanes, R. Graziani, B. Salgado, U. Russo and J. Sordo), 141
Infrared spectroscopy
On the synthesis and structure of monoaryllead and diaryllead acetates $RPb(OCOCH_3)_3$ and $R_2Pb(OCOCH_3)_2$ (M. Schürmann and F. Huber), 121
Pseudoelementverbindungen IX. Organostannylierung von Cyanamidonitrat – Molekül- und Kristallstruktur von N-Trimethylstannyl-N'-nitro-carbodiimid (L. Jäger, C. Tretner, M. Biedermann und H. Hartung), 13
Intermolecular coordination
Stereochemical non-rigidity of *N*-(dimethylhalogenosilylmethyl)-*N*-(1-phenylethyl) acetamides in solutions (V.V. Negrebetsky, A.G. Shipov, E.P. Kramarova, V.V. Negrebetsky and Yu.I. Baukov), 1
Intramolecular coordination
Stereochemical non-rigidity of *N*-(dimethylhalogenosilylmethyl)-*N*-(1-phenylethyl) acetamides in solutions (V.V. Negrebetsky, A.G. Shipov, E.P. Kramarova, V.V. Negrebetsky and Yu.I. Baukov), 1
Iridium
Synthesis and X-ray crystal structures of $[Ru_4H_4(CO)_{11}(PPh_3)]$ and $[Ru_{4-x}Ir_xH_{2-x}(CO)_{12}(PPh_3)]$ ($x = 0$ or 1) (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 191
Iron
Alkynylcyclohexadienyl tricarbonyliron complexes: a new directing effect for organoiron-mediated synthesis (E. Van den Beuken, S. Samson, E.J. Sandoe and G.R. Stephenson), 251
Ferrocene compounds. XXIII. Synthesis and reactions of the new type of methyl ferrocyloxyalkanoates (V. Kovač, V. Rapić, I. Sušnik and M. Šuprina), 149
The first 1,2-dibora-[2]ferrocenophane and its dynamic behaviour in solution (M. Herberhold, U. Dörfler and B. Wrackmeyer), 117
cis/trans-Isomerism
N-heterocyclic carbene complexes of palladium and rhodium: *cis/trans*-isomers (W.A. Herrmann, J. Fischer, K. Öfele and G.R.J. Artus), 259

Lead
On the synthesis and structure of monoaryllead and diaryllead acetates $RPb(OCOCH_3)_3$ and $R_2Pb(OCOCH_3)_2$ (M. Schürmann and F. Huber), 121
Lithium
(*Z*)-1-Methoxy-4-(diphenylphosphino)but-1-ene-3-yne: a versatile synthon for unsymmetrically substituted (diphenylphosphino)diacetylene derivatives (R.J.P. Corriu, C. Guérin, B.J.L. Henner and A. Jolivet), 39

Manganese
Complexes containing the unit $Rh_2P^{\frown}PM$ ($M = Cr$ or Mn, $P^{\frown}P$ = bis(diphenylphosphino)alkane); the independence of the metal centres (G.R. County, R.S. Dickson, S.M. Jenkins, J. Johnson and O. Paravagna), 49
Substituent effects on the cyclo-manganation reaction. X-ray crystal structure of $Mn\{2\text{-}(^nBu\text{–}N{=}CH)5\text{-}(NO_2)C_6H_3\}(CO)_4$ (C. Morton, D.J. Duncalf and J.P. Rourke), 19
Metalloboranes
Carborane to enhance chelating capacity. *S,S'*-Thioether – thioester coordination and its transition metal stability (C. Viñas, M.R. Cirera, F. Teixidor, R. Sillanpää and R. Kivekäs), 89
ansa-Metallocene
Preparation of 1,1'-binaphthyl-2,2'-diyl bridged *ansa*-bis(annulated cyclopentadienyl)titanium and -zirconium dichloride complexes (R.L. Halterman and T.M. Ramsey), 225
Metallocenes
Synthesis and X-ray crystal structures of *rac*- and *meso*-2,2'-propylidene-bis(1-indenyl)zirconium dichlorides (A.Z. Voskoboynikov, A.Yu. Agarkov, E.A. Chernyshev, I.P. Beletskaya, A.V. Churakov and L.G. Kuz'mina), 75

Methyl ferrocyloxyalkanoates
Ferrocene compounds. XXIII. Synthesis and reactions of the new type of methyl ferrocyloxyalkanoates (V. Kovač, V. Rapić, I. Sušnik and M. Šuprina), 149
Methylpalladium(II)
Synthesis and characterization of methylpalladium(II) dithiolate complexes of the type [PdMe(S⌒S)(ER_3)] (S⌒S = S_2CNR_2, S_2COEt, $S_2P(OR)_2$, S_2PPh_2; ER_3 = $PMePh_2$, PPh_3, $AsPh_3$) (S. Narayan, V.K. Jain and S. Chaudhury), 101

Nitrate
Pseudoelementverbindungen IX. Organostannylierung von Cyanamidonitrat – Molekül- und Kristallstruktur von N-Trimethylstannyl-N′-nitro-carbodiimid (L. Jäger, C. Tretner, M. Biedermann und H. Hartung), 13
Nuclear magnetic resonance
On the synthesis and structure of monoaryllead and diaryllead acetates $RPb(OCOCH_3)_3$ and $R_2Pb(OCOCH_3)_2$ (M. Schürmann and F. Huber), 121

Organotin
Indazole complexes of diorganotin(IV) dihalides. The crystal structures of dichloro and dibromodimethylbis(indazole)tin(IV) (P. Alvarez Boo, J.S. Casas, U. Casellato, M.D. Couce, E. Freijanes, R. Graziani, B. Salgado, U. Russo and J. Sordo), 141
Ortho alkylation
Ruthenium-catalysed ortho alkylation of hydroxyacetophenones; the functionalisation of ring C aromatic diterpenoids (P.W.R. Harris and P.D. Woodgate), 211
Osmium
A novel arene bonding mode in the mixed-metal cluster $Os_4Ru(\mu\text{-}H)_3(CO)_{12}(\mu_3\text{-}\eta^6\text{-}C_6H_5)P(OMe)_3$ (R.A. Al-Mandhary Muna, J. Lewis and P.R. Raithby), 247
Oxide
Synthesis of methyltrioxorhenium(VII) arylamine complexes and mono- and bis(ortho)-chelated arylaminorhenium(VII) trioxides (M.H.P. Rietveld, L. Nagelholt, D.M. Grove, N. Veldman, A.L. Spek, M.U. Rauch, W.A. Herrmann and G. Van Koten), 159

Palladium
Carborane to enhance chelating capacity. *S,S′*-Thioether – thioester coordination and its transition metal stability (C. Viñas, M.R. Cirera, F. Teixidor, R. Sillanpää and R. Kivekäs), 89
Mononuclear Pt(II) and Pd(II) 1,4-dithiolato complexes. Crystal structures of $[Pt((-)DIOS)(PPh_3)_2]$ and $[Pd(S(CH_2)_4S)(Ph_2P(CH_2)_3\text{-}PPh_2)]$. Application in styrene hydroformylation (J. Forniés-Cámer, A. Aaliti, N. Ruiz, A.M. Masdeu-Bultó, C. Claver and C.J. Cardin), 199
Stereochemically non-rigid transition metal complexes of 2,6-bis[(1-phenylimino)ethyl]pyridine (BIP). Part 1. Dynamic NMR studies of $[M(C_6F_5)_2(BIP)]$ ($M = Pd^{II}$ or Pt^{II}) (K.G. Orrell, A.G. Osborne, V. Šik and M. Webba da Silva), 235
Synthesis and characterization of methylpalladium(II) dithiolate complexes of the type [PdMe(S⌒S)(ER_3)] (S⌒S = S_2CNR_2, S_2COEt, $S_2P(OR)_2$, S_2PPh_2; ER_3 = $PMePh_2$, PPh_3, $AsPh_3$) (S. Narayan, V.K. Jain and S. Chaudhury), 101
Synthesis of a tripalladium cluster containing an $\eta^1{:}\eta^2{:}\eta^2$-bridging butadienyl ligand stabilized by a zwitterionic structure (T. Murahashi, H. Kurosawa, N. Kanehisa and Y. Kai), 187
Palladium complexes
N-heterocyclic carbene complexes of palladium and rhodium: *cis/trans*-isomers (W.A. Herrmann, J. Fischer, K. Öfele and G.R.J. Artus), 259
Pentacoordinated organosilicon compounds
Stereochemical non-rigidity of *N*-(dimethylhalogenosilylmethyl)-*N*-(1-phenylethyl) acetamides in solutions (V.V. Negrebetsky, A.G. Shipov, E.P. Kramarova, V.V. Negrebetsky and Yu.I. Baukov), 1
Pentamethylcyclopentadienyl
Reactions of $Cp^*Ru(\eta^6\text{-}C_6H_5CHO)^+OSO_2CF_3^-$ ($Cp^* = C_5Me_5$) with substituted anilines forming ruthenium Schiff base complexes (D.E. Wheeler, S.T. Hill, S. Milos, J.D. Williams and J.D. Johnson), 83
Permutational isomerization
Stereochemical non-rigidity of *N*-(dimethylhalogenosilylmethyl)-*N*-(1-phenylethyl) acetamides in solutions (V.V. Negrebetsky, A.G. Shipov, E.P. Kramarova, V.V. Negrebetsky and Yu.I. Baukov), 1
Phenyl
New organogold(I) complexes: synthesis, structure, and dynamic behavior of the polynuclear organogold diphenylmethane and diphenylethane derivatives (T.V. Baukova, L.G. Kuz'mina, N.A. Oleinikova, D.A. Lemenovskii and A.L. Blumenfel'd), 27
Phosphine
New organogold(I) complexes: synthesis, structure, and dynamic behavior of the polynuclear organogold diphenylmethane and diphenylethane derivatives (T.V. Baukova, L.G. Kuz'mina, N.A. Oleinikova, D.A. Lemenovskii and A.L. Blumenfel'd), 27
(*Z*)-1-Methoxy-4-(diphenylphosphino)but-1-ene-3-yne: a versatile synthon for unsymmetrically substituted (diphenylphosphino)diacetylene derivatives (R.J.P. Corriu, C. Guérin, B.J.L. Henner and A. Jolivet), 39
Phosphines
Cone angle radial profiles (J.M. Smith, B.C. Taverner and N.J. Coville), 131
Phosphite
A novel arene bonding mode in the mixed-metal cluster $Os_4Ru(\mu\text{-}H)_3(CO)_{12}(\mu_3\text{-}\eta^6\text{-}C_6H_5)P(OMe)_3$ (R.A. Al-Mandhary Muna, J. Lewis and P.R. Raithby), 247
Phosphorus ligand
Preparation and characterization of $[Re(bpy)(CO)_3L][SbF_6]$ (**L** = phosphine, phosphite) (H. Hori, K. Koike, M. Ishizuka, K. Takeuchi, T. Ibusuki and O. Ishitani), 169
Platinum
Mononuclear Pt(II) and Pd(II) 1,4-dithiolato complexes. Crystal structures of $[Pt((-)DIOS)(PPh_3)_2]$ and $[Pd(S(CH_2)_4S)(Ph_2P(CH_2)_3\text{-}PPh_2)]$. Application in styrene hydroformylation (J. Forniés-Cámer, A. Aaliti, N. Ruiz, A.M. Masdeu-Bultó, C. Claver and C.J. Cardin), 199
Stereochemically non-rigid transition metal complexes of 2,6-bis[(1-phenylimino)ethyl]pyridine (BIP). Part 1. Dynamic NMR studies of $[M(C_6F_5)_2(BIP)]$ ($M = Pd^{II}$ or Pt^{II}) (K.G. Orrell, A.G. Osborne, V. Šik and M. Webba da Silva), 235
Preparation
Indazole complexes of diorganotin(IV) dihalides. The crystal structures of dichloro and dibromodimethylbis(indazole)tin(IV) (P. Alvarez Boo, J.S. Casas, U. Casellato, M.D. Couce, E. Freijanes, R. Graziani, B. Salgado, U. Russo and J. Sordo), 141

Rhenium
Synthesis of methyltrioxorhenium(VII) arylamine complexes and mono- and bis(ortho)-chelated arylaminorhenium(VII) trioxides (M.H.P. Rietveld, L. Nagelholt, D.M. Grove, N. Veldman, A.L. Spek, M.U. Rauch, W.A. Herrmann and G. Van Koten), 159
Rhenium complex
Preparation and characterization of $[Re(bpy)(CO)_3L][SbF_6]$ (**L** = phosphine, phosphite) (H. Hori, K. Koike, M. Ishizuka, K. Takeuchi, T. Ibusuki and O. Ishitani), 169

Rhodium
Carborane to enhance chelating capacity. *S,S'*-Thioether – thioester coordination and its transition metal stability (C. Viñas, M.R. Cirera, F. Teixidor, R. Sillanpää and R. Kivekäs), 89
Rhodium complexes
N-heterocyclic carbene complexes of palladium and rhodium: *cis/trans*-isomers (W.A. Herrmann, J. Fischer, K. Öfele and G.R.J. Artus), 259
Ruthemiun
Synthesis and X-ray crystal structures of $[Ru_4H_4(CO)_{11}(PPh_3)]$ and $[Ru_{4-x}Ir_xH_{2-x}(CO)_{12}(PPh_3)]$ ($x = 0$ or 1) (A.U. Härkönen, M. Ahlgrén, T.A. Pakkanen and J. Pursiainen), 191
Ruthenium
A novel arene bonding mode in the mixed-metal cluster $Os_4Ru(\mu\text{-}H)_3(CO)_{12}(\mu_3\text{-}\eta^6\text{-}C_6H_5)P(OMe)_3$ (R.A. Al-Mandhary Muna, J. Lewis and P.R. Raithby), 247
Reactions of $Cp^*Ru(\eta^6\text{-}C_6H_5CHO)^+OSO_2CF_3^-$ ($Cp^* = C_5Me_5$) with substituted anilines forming ruthenium Schiff base complexes (D.E. Wheeler, S.T. Hill, S. Milos, J.D. Williams and J.D. Johnson), 83
Ruthenium-catalysed ortho alkylation of hydroxyacetophenones; the functionalisation of ring C aromatic diterpenoids (P.W.R. Harris and P.D. Woodgate), 211
Structure and bonding in a series of cyano complexes: $RuCp(PPh_3)_2CN$, $[RuCp(PPh_3)_2(CNH)]CF_3SO_3$, and H-bridged $[Ru_2(Cp)_2(PPh_3)_4CNHNC]CF_3SO_3$ (V.N. Sapunov, K. Mereiter, R. Schmid and K. Kirchner), 105

Schiff bases
Reactions of $Cp^*Ru(\eta^6\text{-}C_6H_5CHO)^+OSO_2CF_3^-$ ($Cp^* = C_5Me_5$) with substituted anilines forming ruthenium Schiff base complexes (D.E. Wheeler, S.T. Hill, S. Milos, J.D. Williams and J.D. Johnson), 83
Silyl
(*Z*)-1-Methoxy-4-(diphenylphosphino)but-1-ene-3-yne: a versatile synthon for unsymmetrically substituted (diphenylphosphino)diacetylene derivatives (R.J.P. Corriu, C. Guérin, B.J.L. Henner and A. Jolivet), 39
Stannaethene
A stannaethene with a planar environment of the tricoordinated tin and carbon atoms (M. Weidenbruch, H. Kilian, M. Stürmann, S. Pohl, W. Saak, H. Marsmann, D. Steiner and A. Berndt), 255
Stannyl
Pseudoelementverbindungen IX. Organostannylierung von Cyanamidonitrat – Molekül- und Kristallstruktur von N-Trimethylstannyl-N'-nitro-carbodiimid (L. Jäger, C. Tretner, M. Biedermann und H. Hartung), 13
Stannylene
A stannaethene with a planar environment of the tricoordinated tin and carbon atoms (M. Weidenbruch, H. Kilian, M. Stürmann, S. Pohl, W. Saak, H. Marsmann, D. Steiner and A. Berndt), 255
Steric measurements
Cone angle radial profiles (J.M. Smith, B.C. Taverner and N.J. Coville), 131
Structure
Metallorganische Verbindungen des Kupfers XIII. Kupfer(I)–chlorid-Komplexe winkelgespannter Cycloheptine Synthesen und Röntgenstrukturanalysen (P. Schulte, G. Schmidt, C.-P. Kramer, A. Krebs und U. Behrens), 95
Thiolate
Carborane to enhance chelating capacity. *S,S'*-Thioether – thioester coordination and its transition metal stability (C. Viñas, M.R. Cirera, F. Teixidor, R. Sillanpää and R. Kivekäs), 89
Mononuclear Pt(II) and Pd(II) 1,4-dithiolato complexes. Crystal structures of $[Pt((-)DIOS)(PPh_3)_2]$ and $[Pd(S(CH_2)_4S)(Ph_2P(CH_2)_3PPh_2)]$. Application in styrene hydroformylation (J. Forniés-Cámer, A. Aaliti, N. Ruiz, A.M. Masdeu-Bultó, C. Claver and C.J. Cardin), 199
Tin
A stannaethene with a planar environment of the tricoordinated tin and carbon atoms (M. Weidenbruch, H. Kilian, M. Stürmann, S. Pohl, W. Saak, H. Marsmann, D. Steiner and A. Berndt), 255
Indazole complexes of diorganotin(IV) dihalides. The crystal structures of dichloro and dibromodimethylbis(indazole)tin(IV) (P. Alvarez Boo, J.S. Casas, U. Casellato, M.D. Couce, E. Freijanes, R. Graziani, B. Salgado, U. Russo and J. Sordo), 141
Synthesis and X-ray crystal structures of *rac*- and *meso*-2,2'-propylidene-bis(1-indenyl)zirconium dichlorides (A.Z. Voskoboynikov, A.Yu. Agarkov, E.A. Chernyshev, I.P. Beletskaya, A.V. Churakov and L.G. Kuz'mina), 75
Titanocene
Preparation of 1,1'-binaphthyl-2,2'-diyl bridged *ansa*-bis(annulated cyclopentadienyl)titanium and -zirconium dichloride complexes (R.L. Halterman and T.M. Ramsey), 225
Tungsten
(*Z*)-1-Methoxy-4-(diphenylphosphino)but-1-ene-3-yne: a versatile synthon for unsymmetrically substituted (diphenylphosphino)diacetylene derivatives (R.J.P. Corriu, C. Guérin, B.J.L. Henner and A. Jolivet), 39

Xanthate
Synthesis and characterization of methylpalladium(II) dithiolate complexes of the type $[PdMe(S\frown S)(ER_3)]$ ($S\frown S = S_2CNR_2$, S_2COEt, $S_2P(OR)_2$, S_2PPh_2; $ER_3 = PMePh_2$, PPh_3, $AsPh_3$) (S. Narayan, V.K. Jain and S. Chaudhury), 101
X-ray diffraction
Pseudoelementverbindungen IX. Organostannylierung von Cyanamidonitrat – Molekül- und Kristallstruktur von N-Trimethylstannyl-N'-nitro-carbodiimid (L. Jäger, C. Tretner, M. Biedermann und H. Hartung), 13
Synthesis and crystal structure of dimeric 2,4,6-triphenylphenylbismuthdichloride (E.V. Avtomonov, X.-W. Li and J. Lorberth), 71

Zirconium
Synthesis and X-ray crystal structures of *rac*- and *meso*-2,2'-propylidene-bis(1-indenyl)zirconium dichlorides (A.Z. Voskoboynikov, A.Yu. Agarkov, E.A. Chernyshev, I.P. Beletskaya, A.V. Churakov and L.G. Kuz'mina), 75
Zirconocene
Preparation of 1,1'-binaphthyl-2,2'-diyl bridged *ansa*-bis(annulated cyclopentadienyl)titanium and -zirconium dichloride complexes (R.L. Halterman and T.M. Ramsey), 225
Zwitterionic
Synthesis of a tripalladium cluster containing an $\eta^1:\eta^2:\eta^2$-bridging butadienyl ligand stabilized by a zwitterionic structure (T. Murahashi, H. Kurosawa, N. Kanehisa and Y. Kai), 187

Book Review
Advances in Asymmetric Synthesis, Vol. 1, Alfred Hassner (ed.) (D.W. Young)), 263